


Share your records



Share images and records of recognisable fungi using iNaturalist Fungimap Australia project. Research grade records contribute to the biodiversity data in the Atlas of Living Australia.



<https://www.inaturalist.org/projects/fungimap-australia>

Prevent weedy fungi ☹️

Protect our bush by arriving with clean and dry equipment, including footwear and hats. Below are two fungal weeds that are commonly spread by people, so best to **Arrive clean. Leave clean!**


<https://fungimap.org.au/help-stop-the-spread-of-weedy-fungi/>




☹️ Orange Ping-pong Bats (*Favolaschia calocera*, Richard Hartland)



☹️ Fly Agaric (*Amanita muscaria* Ian Bell)



Agarics



Pixie's Parasol (*Mycena interrupta*,
Torbjorn von Strokirch)




Nargan's Bonnet (*Mycena nargan*,
Torbjorn von Strokirch)



Yellow Navel (*Lichenomphalia
chromacea*, James Douch)



Ghost Fungus (*Omphalotus
nidiformis*, Eileen Laidlaw)



Agarics



Green Skinhead (*Dermocybe austroveneta*, Richard Hartland)



Lawyer's Wig (*Coprinus comatus*, Richard Hartland)




Spiltgill (*Schizophyllum commune*, Eileen Laidlaw)



Pagoda Fungus (*Podoserpula pusio*, Eileen Laidlaw)





Lost Agarics



Blue-grey Navel (*Arrhenia* aff. *chlorocyanea*, John Eichler)




Grey Jockey (*Asterophora mirabilis*, John Eichler)



Steel-blue Rozites (*Cortinarius metallicus*, John Eichler)



Russet Rozites (*Cortinarius perfoetens*, John Eichler)




Lost Fungi



(*Chlorovibrissea melanchlora*, John Eichler)



Beenak Long Tooth (*Beenakia dacostae*, Jurrie Hubregtse)




Chestnut Polypore (*Laccocephalum hartmannii*, Eileen Laidlaw)



Green-staining Coral (*Phaeoclavulina abietina*, Mark Campobasso)





Other Fungi



Craypot Stinkhorn (*Asero rubra*,
Richard Hartland)



Rhubarb Bolete (*Boletellus
obscurecoccineus*, Richard
Hartland)




Salmon Gum (*Phlebopus
marginatus*, Wayne Martin)



Common Prettymouth (*Calostoma
fuscum*, Richard Hartland)





Other Fungi



Forest Prettymouth (*Calostoma rodwayi*, Pamela Catcheside)



Horn of Plenty (*Craterellus cornucopioides*, Richard Hartland)



Purple Jellydisk (*Ascocoryne sarcoides*, T. von Strokirch)



Small Dung Button (*Poronia erici*, Richard Hartland)



Please Take Care

- Protect our bush by arriving with clean and dry equipment, including footwear and hats. So best to ***Arrive clean. Leave clean!***
 - Ideally Phytoclean or methylated spirits should also be used to clean boots and equipment between any sites you visit.
 - For vehicles do not drive on access tracks when it is wet.
 - Never go from infected sites to clean areas.
- Be mindful of rarity.
 - Do not collect all fruit bodies, leave some for spores.
 - Be careful about not disturbing or removing substrate.
 - Please do NOT collect Tea-tree Fingers (*Hypocreopsis amplexans*), nor *Hymenochaete* species.
- Have a Permit for collections
 - If collections are made ideally written proof like an email of land holders permission (for the Nagoya Protocol which is trying to prevent biopiracy).
 - Tea-tree Fingers (*Hypocreopsis amplexans*) and lichens: Black-beard Lichen (*Neuropogon acromelanus*), *Xanthoparmelia suberadicata* and *Xanthoparmelia victoriana* are a FFG listed species in Victoria so a specific collection permit is needed.

